Art Unit: 2195

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with David Rouille on 11/20/2008.
- 3. The following claims had been amended:
 - 1. A method for modeling and structuring a scheduling system, said system including a plurality of tasks, a resource for servicing the tasks, and a scheduler that assigns the tasks to the resource, said method comprising:

defining tasks as cosets of subgroups of a mathematical group, wherein a coset comprises a subgroup of a group representing a resource;

defining a resource as said group;

defining a unit of measure for the resource in such a way as to assign an order, or size, to the group; and

modeling and structuring the scheduling system using the defined tasks, the resource and the unit of measure;

wherein given a set of one or more subgroups with task generator values selected from the set $P = (p_1, p_2, ... p_k)$, the defining cosets for tasks further

Art Unit: 2195

comprises selecting coset representatives x and y for any two tasks with subgroup generators p_i and p_j , respectively, such that (x-y) is not evenly divisible by $g = gcd(p_i, p_j)$, where gcd() is the greatest common divisor function and where g is the greatest common divisor of p_i and p_j , wherein the cosets represent tasks, the groups represent resources, and units of measure are defined over any physical domain, including at least one of the group consisting of time, space, frequency, energy, speed, and mass.

- 2. (Cancelled).
- 3. The method of claim 1 wherein said system includes at least a first task represented by a coset and associated subgroup and at least a second task represented by a second coset and associated subgroup in which the generator of the second subgroup is different from the generator of said first subgroup.
- 4. The method of claim 1 wherein said scheduling system includes a plurality of resources.
- 5. The method of claim 4 wherein said plurality of resources are distributed throughout a physical domain.
- 6. The method of claim 1 wherein a task can be represented by a coset of a subgroup of the group representing a resource, and the coset is represented by first and second values in which the first value includes a generator of the subgroup and the second value includes a coset representative.

7. The method of claim 6 wherein a task is represented by contiguous cosets of a group.

- 8. The method of claim 5 wherein said plurality of resources are represented by groups with at least two different orders.
- 9. The method of claim 1 wherein said system includes a packet switching communications system having periodic scheduled task appointments for servicing a task.
- 10. The method of claim 1 wherein said act of defining and measuring tasks as cosets and resources as groups includes the act of deriving a set of possible subgroups associated with said cosets from the value of N, the order o the group representing a resource, from the power set of the prime factors of N, where N is the order of said group representing said resource, wherein this set is equivalent to the set of subgroups of the (additive) group Z_N wherein if the prime factorization of $N = p_1p_2p_3...p_j$, then the set of all possible subgroup generators is composed of the 2^j values 1, p_1 , p_2 , p_3 , ..., p_j , p_1p_2 , p_1p_3 ,..., p_1p_j , p_2p_3 , p_2p_4 , ... p_2p_4 , ... p_2p_j , ..., $p_1p_2p_3...p_j$.
- 11. (Cancelled).
- 12. The method of claim 1 wherein said system supports tasks represented by subgroups with generator values selected from $P = (p_1, p_2, ...p_k)$, wherein P is a schedule period, and further including the act of uniquely assigning coset representatives to the tasks, where said coset representatives are selected from the

set of values (0, 1, ...g-1), where g = gcd(P), the greatest common divisor of all of the element values in P.

- 13. The method of claim 1 wherein said system includes a plurality of resources, said plurality of resources represented by groups with at least two different orders.
- 14. The method of claim 1 wherein said mathematical group is selected from a set of groups consisting of abelian mathematical groups and non-abelian mathematical groups.
- 15. The method of claim 1 wherein the set of subgroup generators is restricted to a subset that is smaller than said set of subgroup generators.
- 16. The method of claim 1 wherein the set of subgroup generators is restricted to a subset that is smaller than said set of subgroup generators.
- 17. The method of claim 1 in which the groups representing resources are chosen such that the intersection of costs representing tasks will be null.
- 18. The method of claim 1 in which the unit of measure for a resource is chosen from the group consisting of wherein the set of generator values of all of the subgroups of the group representing said resource are not pairwise relatively prime, and wherein the said set of generator values has a greatest common divisor that is relatively large.

Application/Control Number: 10/814,604

Art Unit: 2195

19. The method of claim 5 in which the unit of measure is chosen such that the corresponding set of orders of the groups representing said plurality of resources has a greatest common divisor that is relatively large.

Page 6

- 20. The method of claim 1 further comprising encoding system state information using at least one of the group consisting of group, subgroup, and coset notations.
- 21. The method of claim 1 wherein said scheduler identifies at least one of possible collision events before the possible collision events occur, and elements of a non-null intersection of cosets that represent tasks before such possible events occur.
- 22. A computer scheduling system comprising:
 - a memory;
 - a processor;
 - a communications interface;

an interconnection mechanism coupling the memory, the processor and the communications interface; and

wherein the memory is encoded with an application that when performed on the processor, provides a process for processing information, the process causing the computer system to perform the operations of: providing a plurality of tasks, providing a resource for servicing the tasks, and providing a scheduler that identifies the plurality of tasks with cosets of subgroups of a group representing said resource, where said group is chosen by defining one

or more units of measure for the resource in such a way as to index the resource by the elements of said group and wherein said scheduler derives a set of subgroups of said group representing said resource from the power set of the prime factors of N, where N is the order of said group representing said resource, wherein said set is equivalent to the set of subgroups of the group Z_N wherein if the prime factorization of $N = p_1p_2p_3...p_j$, then said set of all subgroups has as task generators the values selected from the set of 2^j values, 1, p_1 , p_2 , p_3 , ..., p_j , p_1p_2 , p_1p_3 ,..., p_1p_j , p_2p_3 , p_3p_4 , ... p_2p_j , ..., $p_1p_2p_3...p_j$, and wherein a task is represented by a coset of a subgroup, and the coset is represented by first and second values in which the first value includes a generator of the subgroup and the second value includes a coset representative.

23 - 24. (Cancelled)

- 25. The system of claim 22 wherein given a set of one or more subgroups with generator values selected from the set $P = \{p_1, p_2, ...p_k\}$, the act of defining cosets for tasks further includes the act of selecting coset representatives x and y for any two tasks with subgroup generators p_i , and p_j , respectively, such that (x-y) is not evenly divisible by $g = gcd(p_i, p_j)$, where gcd(x) is the greatest common divisor function and therefore where g is the greatest common divisor of p_i and p_j .
- 26. The system of claim 22 wherein said system supports tasks represented by subgroups with generator values selected from $P = \{p_1, p_2, ...p_k\}$, wherein P is a schedule period, and further including the act of uniquely assigning coset representatives to the tasks, where said coset representatives are selected from the

set of values $\{0, 1, \dots, g-1\}$, where g = gcd(P), the greatest common divisor of all of the element values in P.

27 - 28. (Cancelled).

- 29. The method of claim 1 wherein given a set of coset representatives, the defining cosets for tasks further includes selecting subgroups with generator values selected from a set $P = (p_1, p_2, ...p_k)$, such that for any two tasks with coset representatives x and y, the two subgroups have generators p_1 and p_j selected such that (x-y) is not evenly divisible by $g = gcd(p_i,p_j)$, where gcd() is the greatest common divisor function and therefore where g is the greatest common divisor of p_i and p_j .
- 30. The method of claim 1 wherein said system supports tasks with coset representatives uniquely selected from a set of values (0, 1, ..., g-1), and further including assigning subgroups to the tasks, wherein subgroup generator values are chosen from the set $P = \{p_1, p_2, ..., p_k\}$ wherein P is a schedule period,, and further including selecting the elements in P such that gcd(P), the greatest common divisor of the elements in P, is greater than or equal to g, where g is the joint greatest common divisor of p_i and p_j .

31 - 32. (Cancelled).

33. A method for modeling and structuring a scheduling system operating in the time domain, said system including a plurality of periodic tasks, a resource for

servicing the tasks, and a schedule period associated with the resource, and a scheduler that assigns the set of tasks to the resource, said method comprising:

defining and measuring task periods and said resource schedule period by one or more units of measure in such a way that measurement values for the task periods and the resource schedule period are indexed by elements of a mathematical group and wherein said act of defining and measuring task periods and resource schedule periods identifies the resource with Z_n , the group of integers modulo N, where N is the order of the group associated with said resource schedule period, and further includes deriving a set of possible task period values from the power set of the prime factors of N, wherein said set of task period values is equivalent to the set of subgroups of the group Z_N wherein if the prime factorization of $N = p_1p_2p_3...p_j$, then said set of task period values has as elements the 2^j values 1, p_1 , p_2 , p_3 , ..., p_j , p_1p_2 , p_1p_3 , ..., p_1p_j , p_2p_4 , ... p_2p_j , ..., $p_1p_2p_3...p_j$; and

modeling and structuring the scheduling system operating in the time domain using said defining and measuring of task periods and said resource schedule period by one or more units of measure.

- 34. The method of claim 33 wherein said system includes at least a first periodic task having a first period and at least a second periodic task having a second period different from said first period.
- 35. (Cancelled).

- 36. The method of claim 33 wherein given a set of one or more periodic tasks with rate values selected from $R = \{r_1, r_2, ... r_k\}$, where r_j measures the number of service events for a task during a resource schedule period, and a corresponding set of flow periods $P = \{p_1, p_2, ... p_k\}$, where $p_j = N/r_j$ and where N is the measure of the resource schedule period, further including selecting and assigning to any two tasks any two rates p_i and p_j and coset representatives p_i and p_j and p_j and p_j is null by selecting p_i that is not evenly divisible by p_i and p_j , where p_i is the joint greatest common divisor of p_i and p_j .
- 37. The method of claim 33 wherein said system supports at least one of the group consisting of tasks with rates selected from a set $R = \{r_1, r_2, ... r_k\}$ and task period values selected from a corresponding set $P = \{p_1, p_2, ... p_k\}$, where $p_j = N/r_j$, wherein P is a schedule period, and where N is the measure of the resource schedule period, further including uniquely assigning coset representatives to the tasks, where said coset representatives are selected from the set of values (0, 1, ... g-1), where g = gcd(P), the greatest common divisor of all of the element values in P.
- 38. The method of claim 33 wherein said system includes a plurality of resources, said plurality of resources represented by groups Z_N with at least one of the group consisiting of at least two different values of N, and at least two different orders for said groups.

Art Unit: 2195

39. The method of claim 33 wherein the set of task periods is restricted to a subset that is smaller than said set of task periods.

- 40. The method of claim 33 in which said resource schedule periods are chosen such that the intersection of cosets representing tasks are null.
- 41. The method of claim 33 in which the unit of measure for said resource schedule period is chosen from the group consisting of such that the said set of task period values are not pairwise relatively prime and such that said set of task period values has a greatest common divisor that is relatively large.
- 42. The method of claim 33 in which the unit of measure for said resource schedule period is chosen from the group consisting of such that the said set of task period values are not pairwise relatively prime and such that said set of task period values has a greatest common divisor that is relatively large.
- 43. The method of claim 33 in which the unit of measure is chosen such that the corresponding set of orders of the groups representing said plurality of resources has a greatest common divisor that is relatively large.

44.-46. (Cancelled).

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ABDULLAH AL KAWSAR whose telephone number is (571)270-3169. The examiner can normally be reached on 7:30am to 5:00pm, EST.

Art Unit: 2195

5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Meng Ai T. An can be reached on 571-272-3756. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

6. Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR. Status

information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO

Customer Service Representative or access to the automated information system, call

800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Meng-Ai An/ Supervisory Patent Examiner, Art Unit 2195 /Abdullah-Al Kawsar/ Examiner, Art Unit 2195